



HEIRLOOM QUALITY
HAND CRAFTED
CUSTOM DRAPERY HARDWARE
AUTHENTIC MATERIALS
FORGED IRON
AMERICAN GROWN HARDWOOD

TABLE OF CONTENTS

NEXT GENERATION IRON	4-11
ESTATE IRON	12-17
CUSTOM IRON	18-23
FRENCH RETURN	24-27
CONTEMPORARY METAL	28-31
SEDONA	32-35
PLANTATION WOOD	36-39
STRUCTURE	40-43
LOFT MOTORIZATION	44-47
PRESENTATION SAMPLES	48-52
MEASURING GUIDE	53
Ordering Guides	54-55




NEXT GENERATION IRON


New Designs & Finishes in Ring, Traverse and Motorized Configurations







MOTORIZED



Phone

Optional Wi-Fi Module for Control with Alexa, Siri, Google Assistant & Smart



110v Motor with 12' cord or 12v Lithium battery powered Motor



Wi-Fi

Optional Wi-Fi Module easily connects to bottom of motor



"Alexa, open the curtains."

REMOTES





Dual-Channel

Dual-Channel Wireless Wall Switch

15-Channel Remote & 15-Channel Wireless Wall Switch available

rustica 14

BRONZE

NICKEL 16

BLACK 03

SMOKE 01

TRAVERSE



Two-Segment Rod Sets have a center splice with low profile screws

- 1-1/2" Diameter
- Single & Double Rod Sets
- Center & One-Way Draw
- Standard & Ripplefold
- Micro Ball Bearing Carriers
- Corner & Bay Rod Sets
- Rods Up To 188"





NEXT GENERATION IRON





• Long Lengths Available

BAYS & CORNERS

We can calculate your lengths for all your bay & corner windows

PLEASE SEE THE MEASURING GUIDE



RINGS



NEXT GENERATION IRON




BRACKETS

STANDARD



TRAVERSE & MOTORIZED



TIE BACKS



NEXT GENERATION IRON TRAVERSE & RINGS

1.5" DIAMETER ROD SETS SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

- Single Rod Set
- Double Rod Set
- Corner Window Rod Set
- Bay Window Rod Set

ROD SET INCLUDES: Rod, finials, brackets and mounting hardware.

Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod seaments made in one piece over 94" carry a substantial shipping surcharge and additional production surcharge.

- Single, Double, Corner and Bay sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the 1" back rod.
- · No finials on inside mount rod sets.
- Rod widths greater than 72", include center support brackets.
- Ripple-Fold only available on Traverse rods not available on Motorized rod sets.

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION DIMENSIONS Knob 3/4" W x 2-1/2" H 1-3/4" W x 2-1/4" H Ribbon 2-3/4" W x 3" H Bow Tie 7/8" W x 2" H Block 2-3/4" W x 2" H Cylinder 2-1/2" W x 2-3/8" H 1/2" W x 2-3/4" H End Cap 1-1/4" W x 2-3/4" H Clear Square 1-3/8" W x 2" H Contempo 3/4" W x 2" H Simple End Cap 2-1/8" W x 2" H Clear Cylinder

BRACKETS (RINGS)

BRACKETS (TRAVERSE)

DESCRIPTION
Standard
Extension
Double
Standard Center
Extension Center
Double Center
Ceiling

DIMENSIONS 1" W x 5-1/2" H x 4-1/4" D (3-1/2" projection) 1" W x 5-1/2" H x 5-3/4" D (5" projection) 1" W x 6-1/2" H x 7-3/8" D (3" & 6-1/2" projection)

4" W x 1" H x 4-1/4" D (3-1/2" projection) 4" W x 1" H x 5-3/4" D (5" projection)

1" W x 2" H x 7-3/8" D (3" & 6-1/2" projection)

2" W x 1-1/2"- 12" H (Custom made)

STANDARD CARRIERS

DESCRIPTION

8 Wheel Master (Overlap) 8 Wheel Master (Under)

3/4" Ball Bearing Carriers (White or Bronze)

RIPPLE-FOLD **CARRIERS**

DESCRIPTION

8 Wheel Ripple Snap Master (Overlap) 8 Wheel Ripple Snap Master (Under) 8 Wheel Ripple Butt Master (Left) 8 Wheel Ripple Butt Master (Right) Ripple Snap Carrier 60% Fullness (2-5/8") Ripple Snap Carrier 80% Fullness (2-3/8") Ripple Snap Carrier 100% Fullness (2-1/8") Ripple Snap Carrier 120% Fullness (1-7/8")

DESCRIPTION

Forged Single Forged Double(1) Forged Extended C-Ring Center Bypass C-Ring Double Center (1) C-Ring Extended Center Inside Mount Ceiling

DIMENSIONS

1" W x 5" H x 4-5/8" D (3-1/2" projection) 1" W x 5" H x 6-1/8" D (2-1/2" & 5" projection) 1" W x 5" H x 6-1/8" D (5" projection) 4" W x 1-1/8" H x 4-5/8" D (3-1/2" projection) 4" W x 1-1/8" H x 6-1/8" D (2-1/2" & 5" projection) 4" W x 1-1/8" H x 6-1/8" D (5" projection) 2" W x 4-1/2" H x 1" D (1/8" projection)

1" W x 4-1/2" H x 4" D (3-1/2" projection)

(1) Front cup holds a 1-1/2" rod and back cup holds a 1" rod

Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

TIEBACKS

DESCRIPTION DIMENSIONS

Ball (Post style) End Cap (U style)

Orbed (U style)

6" face x 1-1/2" width x 5-1/4" projection 2-1/4" width x 6-3/4" projection End Cap (Post style) 2" width x 4-1/4" projection 6" face x 1-3/4" width x 5-1/2" projection

RINGS

DESCRIPTION INSIDE DIAMETER Rings - eyelet (10 pack) 2" 2" Rings - eyelet (10 pack) C-Ring *Rings - eyelet (10 pack)* 1-1/2" *Rings - eyelet (10 pack)* C-Ring 1-1/2" *Fits back rod on double rod set only

NEXT GENERATION IRON MOTORIZED

1.5" DIAMFTER ROD SETS

- Single Rod Set
- Double Rod Set
- Sets include: Rod, motor, finials and mounting hardware.
- Single and Double rod sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature Simple End Cap finials on the 1-1/2" back rod.
- Rod widths greater than 48", include center support brackets.

SPECIFICATIONS & DIMENSIONS

REMOTES

DESCRIPTION

Dual-Channel Handheld Remote (control up to 2 motors) 15-Channel Remote (control up to 30 motors) Dual-Channel Wireless Wall Switch (control up to 2 motors) 15-Channel Wireless Wall Switch (control up to 15 motors)

MOTORS DESCRIPTION	('Ol) Curtain Wt.	(rui-ql) Rated Torque	Open/Close Speed Speed	(V) Rated Current	weight	Cord (tt.)	Average Sattery Charge
110v AC Plug-in Motor	100	10.6	5.5	0.16	3.9	12	N/A
12v Rechargeable Lithium Battery Motor	66	10.6	5.5	0.16	3.9	N/A	6

SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

FINIALS

DESCRIPTION	DIMENSIONS
Knob	3/4" W x 2-1/2" H
Ribbon	1-3/4" W x 2-1/4" H
Bow Tie	2-3/4" W x 3" H
Block	7/8" W x 2" H
Cylinder	2-3/4" W x 2" H
Ball	2-1/2" W x 2-3/8" H
End Cap	1/2" W x 2-3/4" H
Clear Square	1-1/4" W x 2-3/4" H
Contempo	1-3/8" W x 2" H
Simple End Cap	3/4" W x 2" H
Clear Cylinder	2-1/8" W x 2" H


- All remotes and switches come paired to the motor.
- Control multiple motors with one remote.
- 3v Battery included with remotes and switches

Wi-Fi MODULE

- Wi-Fi Module easily connects to the bottom of the plug-in motor.
- Use your smart phone to control motor with APP available in the APP Store and Google Play.
- WiFi Module connects with Amazon Alexa, Google Assistant and Siri.



- amazon alexa
- Google Assistant





MASTER CARRIERS

DESCRIPTION

Standard Motorized Master (Center Draw) Extension Arm Master (One-way Draw)

BRACKETS


DESCRIPTION DIMENSIONS

1" W x 5-1/2" H x 4-1/4" D (3-1/2" projection) Standard 1" W x 5-1/2" H x 5-3/4" D (5" projection) Extension Double 1" W x 6-1/2" H x 7-3/8" D (3" & 6-1/2" projection) 4" W x 1" H x 4-1/4" D (3-1/2" projection) Standard Center 4" W x 1" H x 5-3/4" D (5" projection) Extension Center 1" W x 2" H x 7-3/8" D (3" & 6-1/2" projection) Double Center 2" W x 1-1/2"- 12" H x 2" D (Custom made) Ceiling


 Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.



ESTATE IRON



BRACKETS



TIE BACKS



RUSTICA 14

PEWTER 12

black 03

GOLD 37

- 1-1/2" DIAMETER
- SINGLE AND DOUBLE ROD SETS
- FORGED IRON HARDWARE
- CUT TO SIZE
- BAY & CORNER WINDOWS
- INSIDE MOUNT



ACCESSORIES







BAYS & CORNERS

We can calculate your rod lengths for all your bay and corner windows!

PLEASE SEE THE MEASURING GUIDE



ELBOW CONNECTOR



OUTDOOR READY FINISH OPTION

Decorate your deck, cabana or outdoor space! Outdoor finish option is available for a 25% up-charge, which includes a full 5-year replacement warranty. Sets must be installed under an eave or overhang, avoiding direct exposure to the elements. Regular wipe down is required. Not recommended for high humidity or beach environments.

AVAILABLE ONLY IN OIL RUBBED BRONZE, RUSTICA AND BLACK.

ESTATE IRON 1.5" DIAMETER ROD SETS

SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

• Single Rod Set

SET INCLUDES:

- Double Rod Set
- Rod, finials, brackets and mounting hardware.
- Corner Window Rod Set
- Bay Window Rod Set
- Inside Mount Rod Set
- Single, Double, Corner and Bay sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the 1" back rod.
- No finials on inside mount rod sets.
- Rod widths greater than 72", include center support brackets.

Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod Sets over 188" and up to 282" will come in 3 pieces. Rod segments made in one piece over 94" carry a substantial shipping surcharge and additional production surcharge.

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION	DIMENSIONS	LENGTH ADDE	O TO THE END OF THE ROD	
Grande Pajaro	5-1/2" W x 4-1/4" H	5-1/4"		
Grande Double Scroll Leaf	6" W x 8" H	5-1/2"		
Grande Square Cap	2-3/4" W x 3" H	2-1/2"		
Crown Ball	4" W x 3-1/4" H	3-3/4"	RINGS	
Grande Scroll	7-1/4" W x 3-1/2" H	7''	KINGS	
Grande Flame	8-1/2" W x 4" H	8"	DESCRIPTION	INSIDE DIAMETER
Grande Double Acanthus	7-1/2" W x 4" H	7-1/4"		
Grande Iron Ball	3-1/2" W x 3" H	3-1/4"	Rings - eyelet (10 pack)	2"
Grande Camelot	5-1/2" W x 3-1/2" H	5-1/4"	C-Rings - eyelet (10 pack)	2"
Grande Terrazzo	6-3/4" W x 2-3/4" H	6-1/2"	Rings - eyelet (10 pack)	2-1/2"
Grande Papyrus	5-1/4" W x 3-1/4" H	5''		
Grande End Cap	7/8" W x 2-1/2" H	1/8"	1103 rings on front rod and 11 rod for double rod sets.	102 rings on back

BRACKETS

DESCRIPTION

DESCRIPTION	DIMENSIONS
Forged Single	1" W x 5" H x 4-5/8" D (3-1/2" projection)
Forged Double(1)	1" W x 5" H x 6-1/8" D (2-1/2" & 5" projection)
Forged Extended	1" W x 5" H x 6-1/8" D (5" projection)
C-Ring Center Bypass	4" W x 1-1/8" H x 4-5/8" D (3-1/2" projection)
C-Ring Double Center (1)	4" W x 1-1/8" H x 6-1/8" D (2-1/2" & 5" projection)
C-Ring Extended Center	4" W x 1-1/8" H x 6-1/8" D (5" projection)
Inside Mount	2" W x 4-1/2" H x 1" D (1/8" projection)
Ceiling Mount	1" W x 4-1/2" H x 4" D (3-1/2" projection)

DIMENSIONS

TIEBACKS

DESCRIPTION

DESCRIPTION	DIMENSIONS
Flame (U style)	9" face x 2-1/4" width x 6-1/2" projection
Acanthus Leaf (U style)	7" face x 4" width x 5-1/4" projection
Scroll (U style) - left	7" face x 4" width x 4-3/4" projection
Scroll (U style) - right	7" face x 4" width x 4-3/4" projection
Orbed (U style)	6" face x 1-1/2" width x 5-1/4" projection
Iron Scroll (Post style)	7-1/2" face x 3-1/4" x 4-3/4 projection
End Cap (Post style)	2" width x 4-1/4" projection
End Cap (U style)	6" face x 1-3/4" width x 5-1/2" projection

DIMENSIONS

⁽¹⁾ Front cup holds a 1-1/2" rod and back cup holds a 1" rod

^{*} Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.





CUSTOM IRON






















BRACKETS

STANDARD



TRAVERSE



TIE BACKS





- FORGED IRON HARDWARE
- STANDARD AND TRAVERSE
- CUT TO SIZE
- BAY & CORNER WINDOWS
- INSIDE MOUNT





ONE-WAY DRAW

ACCESSORIES

PEWTER 12

RUSTICA 14







BLACK 03

BAYS & CORNERS

We can calculate your rod lengths for all your bay and corner windows!

PLEASE SEE THE MEASURING GUIDE



ADJUSTABLE ELBOWS





OUTDOOR READY FINISH OPTION

Decorate your deck, cabana or outdoor space! Outdoor finish option is available for a 25% up-charge, which includes a full 5-year replacement warranty. Sets must be installed under an eave or overhang, avoiding direct exposure to the elements. Regular wipe down is required. Not recommended for high humidity or beach environments. AVAILABLE ONLY IN OIL RUBBED BRONZE, RUSTICA AND BLACK.

CUSTOM IRON

1" DIAMFTER ROD SETS

SEE PRICELIST FOR PRICES AND ORDERING INFORMATION

Rod, finials, brackets and mounting hardware.

SET INCLUDES:

Single Rod Set (1")

Double Rod Set (1" front rod and 1" back rod)

Single Traverse Rod Set (1-1/8")

Double Traverse Rod Set (1-1/8" front rod and 1-1/8" back rod)

Corner Window Rod Set (1") (1-1/8" Traverse)

Bay Window Rod Set (1") (1-1/8" Traverse)

Inside Mount Rod Set (1")

- Single, Double, Corner and Bay Sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the back rod.
- No finials on inside mount rod sets.
- Rod sets with overall widths greater than 72" include center bracket(s).
- Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces.
- Rod segments made in one piece over 94" carry a substantial shipping surcharge and production surcharge.

SPECIFICATIONS & DIMENSIONS

FINIALS		LENGTH ADDED	TIEBACKS	
DESCRIPTION Rounded Square Cap Terrazzo Torche Capri End Cap Small Acanthus Fleur Acorn Iron Ball	DIMENSIONS 2-1/4" W x 2-1/2" H 6" W x 2-3/4" H 5-1/2" W x 2-3/4" H 3-3/8" W x 2-1/2" H 1/2" W x 1-7/8" H 4-1/2" W x 3" H 4-1/2" W x 3-1/8" H 3-3/8" W x 2" H 2-3/4" W x 2-1/2" H	TO ROD 2" 5-3/4" 5-1/4" 3-1/4" 1/8" 4-1/4" 4-1/4" 3-1/4" 2-5/8"	DESCRIPTION Flame (U style) Acanthus Leaf (U style) Scroll (U style) - left Scroll (U style) - right Orbed (U style) Iron Scroll (Post style) End Cap (Post style) End Cap (U style)	PIMENSIONS 9" face x 2-1/4" w x 6-1/2" projection 7" face x 4" w x 5-1/4" projection 7" face x 4" width x 4-3/4" projection 7" face x 4" width x 4-3/4" projection 6" face x 1-1/2" width x 6" projection 7-1/2" face x 3-1/4" w x 4-3/4" projection 2" width x 4-3/8" projection 6" face x 1-7/8" width x 5-3/4" projection

BRACKETS

DESCRIPTION

Ceiling Mount Bracket	1" W x 3-1/8" H x 3" D (2-1/2" projection)
Forged Single Bracket	1" W x 4" H x 3-1/4" D (2-1/2" projection)
Forged Double Bracket	1" W x 4" H x 6" D (2-1/2" & 5" projection)
Forged Extension Bracket	1" W x 4" H x 6" D (5" projection)
C-Ring Center Bracket	4" W x 1" H x 3-1/8" D (2-1/2" projection)
C-Ring Double Center Bracket	4" W x 1" H x 5-3/4" D (2-1/2" & 5" projection)
C Dinas Estanala d Cantas Dravalsat	1" W x 1" H x 5 2/4" D /5" projection)

DIMENSIONS

C-Ring Extended Center Bracket 4" W x 1" H x 5-3/4" D (5" projection)

Inside Mount Bracket 1-1/4" W 2-1/4" H x 7/8" D (1/8" projection)

IIISIGE MOOTH BIGERET	1 1/4 11 2 1/4 11 X 7/0 D (1/0 plojection)
Single Traverse	1" W x 3" H x 3" D (2-1/2" projection)
Double Traverse	1" W x 4" H x 5-5/8" D (2-1/2" & 5" projection)
Extension Traverse	1" W x 4" H x 5-5/8" D (5" projection)
Center Traverse	4" W x 1" H x 3-1/8" D (2-1/2" projection)
Double Center Traverse	4" W x 1" H x 5-5/8" D (2-1/2" & 5" projection)
Extension Center Traverse	4" W x 1" H x 5-5/8" D (5" projection)

DESCRIPTION

Rings - eyelet (10 pack) C-Rings - eyelet (10 pack)

INSIDE DIAMETER

1 1/2" 1 1/2" * Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.





FRENCH RETURN



- 3/4" AND 1" DIAMETER
- SINGLE AND DOUBLE RODS
- **CUT TO SIZE**
- **ROD SETS OVER 72" INCLUDE CENTER** BRACKET(S)

ACCESSORIES



1-1/2 & 1-1/4 INCH **INSIDE DIAMETERS**






BRACKETS

END BRACKETS

CENTER BRACKETS





SPECIFICATIONS AND DIMENSIONS

DESCRIPTION

1" End Bracket

1" Center Bracket

1" Extension End Bracket

1" Extension Center Bracket

1" Double Center Bracket

3/4" End Bracket

3/4" Center Bracket

3/4" Extension End Bracket

3/4" Extension Center Bracket

3/4" Double Center Bracket

DIMENSIONS

2-1/2" W x 4-1/4" H x 4" D (3-1/2" projection) 4" W x 1" H x 4-1/4" D (3-1/2" projection)

2-1/2" W x 4-1/4" H x 5-1/2" D (5" projection)

4" W x 1" H x 5-5/8" D (5" projection)

4" W x 2" H x 5-3/4" D (2-1/2" & 5" projection)


3-1/4" W x 2" H x 3-7/8" D (3-1/2" projection)

4" W x 1" H x 4-1/8" D (3-1/2" projection)

2-1/2" W x 2" H x 5-3/8" D (5" projection)

4" W x 1" H x 5-1/2" D (5" projection)


4" W x 2" H x 5-1/2" D (2-1/2" & 5" projection)







CONTEMPORARY METAL



COMPLETE SETS

AVAILABLE IN:

• 22" - 40"

• 40" - 76"

POST TIEBACK

NICKEL 16

BLACK 03

BRONZE 31

• 1" ADJUSTABLE ROD SETS

SINGLE AND DOUBLE ROD SETS

BRACKETS

- CORNER AND BAY SETS
- INSIDE MOUNT

• 76" - 148"

ACCESSORIES SINGLE EXTENSION CLIP RINGS EYELET RINGS CEILING MOUNT

BAYS & CORNERS



CONTEMPORARY METAL

1" DIAMETER ROD SETS

SET INCLUDES: Rod, finials, brackets and mounting hardware.

- Single Rod Set (1") *
- Double Rod Set (1" front rod and 1" back rod)
- Corner Window Rod Set
- Bay Window Rod Set (1")
- Inside Mount Rod Set (1")

Double rod sets feature end cap finials on the 1" back rod. No finials on inside mount rod sets.

SPECIFICATIONS & DIMENSIONS

FINIALS		LENGTH ADDED	RINGS	
DESCRIPTION	DIMENSIONS	TO ROD	DESCRIPTION	INSIDE DIAMETER
Ribbed Square Cap	2-7/8" W x 2-1/2" H	2-3/4"	Clip Rings (10 pack)	1-1/2"
Sausalito	2-1/2" W x 2-7/8" H	2-3/8"	Rings - eyelet (10 pack)	1-1/2"
Ballcap	2-3/4" W x 2-3/8"H	2-5/8"	Kings System (10 pack)	1 1/2
Baroque	3" W x 2-1/8" H	2-7/8"		
Orchid	3-5/8" W x 2-1/2" H	3-1/2"		
End Cap	3/4" W x 1-3/8" H	5/8"		
Traditions	3-3/4" W x 2-1/2" H	3-5/8"		
Round Flame	2-3/4" W x 3" H	2-5/8"		

BRACKETS

DESCRIPTION	DIMENSIONS

Single Bracket 1" W x 2-1/2" H x 3-1/4" D (2-1/2" projection) Double Bracket (1) 1" W x 2-1/2" H x 5-3/4" D (2-1/2" & 5" projection) Extension Bracket 1" W x 2-1/2" H x 5-5/8" D (5" projection) Inside Mount Bracket 1-3/8" W 2-5/8" H x 1-1/2" D Ceiling Mount Bracket 1" W x 3" H x 3" D (2-1/2" projection)

Elbow Extends 3/4" from end of rod to center of swivel

TIEBACK

DESCRIPTION Post Tieback w/Finial Choice

DIMENSIONS 2" Diameter Base

4-1/4" depth plus finial dimension

^{*} with your choice of Standard or Extension Brackets

⁽¹⁾ Front cup holds a 1" rod and back cup holds a 1" rod

^{*} Projection is measured from the center of the bracket cup to the back plate of the bracket.

D is the distance; it is measured from the front of the bracket to the back plate of the bracket.

W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.



SEDONA

RING OR TRAVERSE OPTIONS







END CAP



- 2 INCH DIAMETER
- SINGLE AND DOUBLE ROD SETS
- STANDARD AND TRAVERSE OPTIONS
- RIPPLEFOLD CARRIERS AVAILABLE
- AMERICAN GROWN HARDWOOD
- CUT TO SIZE
- ROD SETS UP 182"











SEDONA 2" DIAMETER ROD SETS

SETS INCLUDE

Rod, finials, brackets and all hardware.

AVAILABLE CONFIGURATIONS

- Single Rod Set
- Double Rod Set
- Single Traverse Rod Set
- Double Traverse Rod Set

Rods are cut to the precise width ordered and end drilled for finials. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. Specify "TR" for right draw and "TL" for left draw when ordering one way draw rod sets.

SPECIFICATIONS & DIMENSIONS

PART NAME	WIDTH	HEIGHT	DEPTH	LENGTH ADDED TO THE END OF THE ROD	
FINIALS					
Sphere	3-1/2"	3"	3"	3"	CEILING
Halo	2''	3-1/2"	3-1/2"	1-5/8"	BRACKET
Hub Cap	1-1/4''	3"	3"	1"	
Cylinder	2-1/2"	2"	2"	2-1/2"	7
End Cap	3/4"	2-3/4"	2-3/4"	1/4"	
Button	3/4"	2-3/8"	2-3/8"	3/8"	Custom
Bow Tie	1-1/4''	2-7/8"	2-7/8"	1"	made to any
Naked	3/4"	2"	2"	3/4"	length 1-1/2" to 12"

PART NAME	WIDTH	HEIGHT	DEPTH	PROJECTION*
BRACKETS				
Single	2-7/8"	2"	3-1/4"	4-1/4"
Double	2-7/8"	2"	5-1/8"	2-1/2 AND 6-1/8"
Ceiling	2"	Custom	2"	
Extension	2-7/8"	2"	5-1/8"	6-1/8"

^{*}Projection is measured from the wall to the center of the rod.





DOUBLE

PART NAME	WIDTH	HEIGHT	DEPTH	PART NAME	INSIDE DIAMETER
TIEBACKS				WOOD RINGS	2-5/8"
Post & Button Wood Rosette	2-3/8" 4"	2-3/8" 4"	4-1/4" 3-1/2"	METAL RINGS	2-1/2"
		C	,-	0	
WOOD ROSETTE	POST & BUT	TON		•	



PLANTATION WOOD

















- TRAVERSE AVAILBLE IN 2" ONLY
- AMERICAN GROWN HARDWOOD
- CUT TO SIZE






INSIDE MOUNT

ACCESSORIES







5-7/8"

4-1/8"

SEE PRICELIST FOR PRICES AND ORDERING INFORMATION

Double Rod Set (2" front rod and 1-3/8" back rod)

PLANTATION WOOD

1-3/8" and 2" DIAMETER ROD SETS

SETS INCLUDES: Rod, finials, brackets and mounting hardware.

	FINIALS		LENGTH
1 3/8" DIAMETER	DESCRIPTION	DIMENSIONS	ADDED TO ROD
Single Rod Set (1-3/8") Double Rod Set (1-3/8" front rod and 1-3/8" back rod)	Wood Ball 3-1/4" W x 2-1/2" H Turned Knob 3-1/4" W x 2-1/2" H	1-3/8" 1-3/8"	3-1/8" 3-1/8"
Inside Mount Rod Set (1-3/8")	Astoria 3-1/8" W x 2-3/8" H End Cap 1-1/8" W x 2" H	1-3/8" 1-3/8"	3" 1"
2" DIAMETER Single Rod Set (2") Single Traverse Rod Set (2 ")	Duke 3-5/8" W x 3 H Wood Ball 4-3/4" W x 3-1/2" H	1-3/8" 2"	3-1/2" 4-5/8"
	Tumed Knob 4-3/8" W x 3-1/2" H Astoria 4-1/2" W x 3-3/8" H End Cap 1-5/8" W x 3" H	2" 2" 2"	4-1/4" 4-3/8" 1-1/2"

Duchess 6" W x 3-1/2" H

Sultan 4-1/4" W x 4-1/2" H

Rods are cut to the precise width ordered and end drilled for finials. Double rod sets feature end cap finials on the 1-3/8" back rod. No finials on inside mount rod sets. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" and traversing up to 168" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge.

SPECIFICATIONS & DIMENSIONS

BRACKETS

Inside Mount Rod Set (2")

DESCRIPTION	ROD SIZE	DIMENSIONS
Single Bracket	1-3/8"	1" W x 3-1/4" H x 5-1/4" D (3-7/8" projection)
Double Bracket (1)	1-3/8"	1" W x 3-1/4" H x 8-3/4" D (3-7/8" & 7-3/8" projection)
Inside Mount Bracket (*)	1-3/8"	1" W x 2-7/8" x 2-7/8" D
Single Bracket	2"	1-3/8" W x 4-1/4" H x 6-7/8" D (5" projection)
Double Bracket (2)	2"	1-3/8" W x 4-1/4" H x 9-1/2" D (4-1/4" & 7-3/4" proj.)
Inside Mount Bracket (*)	2"	1" W x 3-3/8" H x 3-3/8" D

- (1) Front cup holds a 1-3/8" rod and back cup holds a 1-3/8" rod.
- (2) Front cup holds a 2" rod and back cup holds a 1-3/8" rod.

Projection is measured from the center of the bracket cup to the back plate of the bracket.

D is the distance; it is measured from the front of the bracket to the back plate of the bracket.

W is the horizontal length of the bracket.

H is the vertical length of the bracket back plate.

*Subtract 1" total from inside dimension for rod length.

TIEBACKS

DESCRIPTION Rosette

DIMENSIONS 4" face x 1" width x 4-3/8" deep

RINGS

DESCRIPTION	ROD SIZE	INSIDE RING DIAMETER
930 Wood Rings - eyelet (10 pack)	1-3/8"	1-3/4"
930-2 Wood Rings - eyelet (10 pack)	2"	2-1/2"



STRUCTURE

TRAVERSE OR MOTORIZED OPTIONS







KNOB



NAKED

- 2 inch Square
- Traverse and Motorized
- Single and Double Rod Sets
- Center and One-Way Draw
- Standard and Ripplefold Carriers
- Hand Finished American Grown Hardwood
- Cut to Size Rods up to 182"

MOTORIZED





TRAVERSE



DOUBLE TRAVERSE



SINGLE TRAVERSE



STRUCTURE

2" SQUARE ROD SETS

SETS INCLUDE

Rod, finials, brackets and all hardware.

AVAILABLE CONFIGURATIONS

- Single Motorized Rod Set
- Double Motorized Rod Set
- Single Traverse Rod Set
- Double Traverse Rod Set

TRAVERSE ROD SETS

Rods are cut to the precise width ordered and end drilled for finials. Rod width greater than 60", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. Specify "TR" for right draw and "TL" for left draw when ordering one way draw rod sets.

MOTORIZED ROD SETS

Fascia wood cover is cut to the precise width ordered and ends drilled for finials. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. See "LOFT" Ordering Guide for more details.

SPECIFICATIONS & DIMENSIONS

PART NAME	WIDTH	HEIGHT	DEPTH	LENGTH ADDED TO THE	OF THE ROD
FINIALS					
Sphere	3-1/4"	3"	3"	3-1/4"	
Naked	3/4"	2"	2"	3/4"	
Waffle	3/8"	2-1/4"	2-1/4"	3/8"	
Contempo	1-1/4"	2"	2"	1-1/4"	
End Cap	3/4"	2"	2"	3/4"	
Button	3/8"	2"	2"	3/8"	
Bow Tie	7/8"	2-7/8''	2-7/8"	7/8"	
Knob	5/8"	2-1/2"	2-1/2''	5/8"	
PART NAME	WIDTH	HEIGHT	DEPTH	PROJECTION (measured from	wall to center of the rod)
BRACKETS					
Single	2-7/8"	2"	3-1/4"	4-1/4"	
Double	2-7/8"	2"	5-1/8	2-1/2" AND 6-1/8"	
Ceiling	2"	Custom	2"		SINGLE
Extension	2-7/8"	2"	5-1/8"	6-1/8''	0 15.
	6		0		EXTENSION
		W	1		Cuin
					DOUBLE
RUST 1		BRONZE 31	P	OLISHED METAL BLACK 17 03	•
					CEILING
MAHOGANY BLAC	DAR K ROAS	K PALLET WOOD	STO	RM LEATHER WHITE	Custom made 1-1/2" up to 12"
28 41	29		30		1-1/2 00 10 12
				13	





DRAPERY MOTORIZATION SIMPLIFIED.



Let's make it simple.

Professional quality motorization made simple. Tell us the size and type, we'll custom make it and deliver complete, ready to install with everything you need to get the job done.

> Structural grade track supports curtains up to 100 lbs.

Single piece tracks up to 19'

Ceiling or Wall Mount

Single or Double Track Sets





Dual Channel Wireless Wall Mount Controller



One or Two Way Draw

15 Channel Wireless Wall Mount Controller



20 year life belt

Powerful, yet quiet plug-in motor handles curtains up to 100 lbs. Motors are low voltage for added safety and can be mounted on the left or right.

Plug in or cordless motors available. Our Cordless Lithium-ion battery powered motor goes 6 months to a year on a single charge and is easily rechargeable with included charger.



RF Remote Control

Control a single or double rod set using our smart phone quality dual channel remote. Multi channel and wall mount controllers available. Wall controller detaches magnetic base plate for portable use.



Whisper Ouiet

Dampening technology reduces noise level below 30dB



Soft Opening & Closing

Smooth and elegant operation



Touch Start

Gently pulling the curtain will trigger the motor to open automatically



Automatic Limit Positions

Positions set automatically on the first use and re-calibrate everyday



Obstruction Protection

Motor will stop automatically if the curtain is pulled or it's path obstructed



Manual Operation

Curtains easily open and close manually in the event of power loss



Durability

Professional grade equipment built for years of worry free use. All components "best in class" quality and warranted for 5














PRESENTATION SAMPLES



SAMPLE BAG

Our drapery hardware sample bag is an easy way to show your customer the style and unsurpassed quality of the product. The durable nylon sample bag is convenient for meetings and customer presentations.



BAG INCLUDES:

- Durable Sample Tote
- STRUCTURE wood+metal Sample
- Custom Iron Bracket Sample
- Custom Iron (1") Sample
- Estate Iron (1 1/2") Sample
- 2 SEDONA wood+metal Samples
- Retail Price List
- Finish Sample Plates

33.5"







STYLE MIX

SAMPLE BOARDS

Wall mount sample boards feature complete rod sets including finials and brackets as well as rings representing each available finish. Boards can be ordered for each collection or a style mix board showing an example from each collection. Boards are furniture quality with hand finished hardwood trim.



SEDONA



PLANTATION WOOD



SEDONA & STRUCTURE



NEXT GENERATION IRON




FRENCH RETURN



MIX-IT

MEASURING GUIDE

MEASURING TIPS:



DETERMINE YOUR HARDWARE WIDTH:

Rod width does not include the width of the finials on each end. Finials add 2" to 8" in width on each end, depending on the finial style. We recommend a 5" overlap on each side of the window.

For example if your window is 50" wide, you would normally order a 60" length rod and the overall finished width would be 64" to 76" depending upon the finial style.

INSIDE MOUNT MEASURING:

Have customer measure just the opening. Factory will need to know if you want deductions made for the inside mount brackets.

- Always use a steel tape measure. All dimensions should be taken to the nearest 1/4 inch.
- Double check to make sure that you haven't transposed width and height measurements.
- Measure every window. Windows that look identical often are not.
- If you have any questions, please contact Customer Service for more information.

BAY WINDOWS MEASURING:

Please answer the questions below.

To order a bay window rod set correctly, you need to provide the separate measurement of each section of the bay area wall (shown here as A, B and C) and the degree of each wall angle (shown here as Angle #1 and Angle #2).

If you would like us to determine the angles, you will need to additionally provide the opening width of the bay.





We will calculate your rod size based on these measurements and rod style you select. Our standard calculations allow for the finials to be just short of the outside of the opening. If you wish them to project out past the opening please advise when ordering.

NEXT GENERATION IRON MOTORIZED

CARRIER COUNT GUIDE

NOTE: Exact carrier count is needed before we build your custom drapery rod. DO NOT count fixed carriers or pin holes on master carriers.







Ordering Guide

Follow the steps below to order each LOFT motorized track. We'll deliver assembled* and ready to mount. Easy to install, just mount the brackets, attach the track, snap in motor and hang the curtains.

Made a mistake? No worries, send it back and we'll fix it. Sidemark:______ Date:_____ Room: Window: Dealer: PO#_ Contact Phone: Email: Track Type *Tracks over 94" will be shipped in 2 pieces and require some assembly. ☐ Single motorized track ☐ Double, both tracks motorized Track Length Example: Window opening is 50" wide and the curtains to be 12" past the window opening on both sides. Track should be 74" long. Over-all length Choose Ripplefold Fullness: □60% □80% □100% □120% Motor Position easy to switch in the field. Draw ☐ Right or ☐ Left ☐Two way/center opening ☐ One way/right draw ☐ One way/left draw **Mounting Brackets** Wall (1.25" Clearance* / 2" Projection*) *Clearance = wall to back of track *Projection = wall to center of track ☐ Extended Wall (5.25" Clearance / 6" Projection) ☐ Ceiling Carriers **Master Carriers** ☐ Standard ☐ Ripplefold ☐ Standard overlap (4") ☐Butt – Available on ripple fold and only on split draw Motor Power Source ☐ 110v plug-in (12' cord) ☐ Battery See price list for cost. Last 6 months to a year on a single charge. Includes recharging cord. Remote Dual channel controls both single and double track sets. Remotes are paired with your motors at the factory and come ready to use. ☐ Dual channel handheld ☐ Dual channel wireless wall mount ☐ 15 channel wireless wall mount ☐ 15 channel handheld 15 channel remotes are programmable, work on up to 30 sets. Notes