



HEIRLOOM QUALITY
HAND CRAFTED
CUSTOM DRAPERY HARDWARE
AUTHENTIC MATERIALS
FORGED IRON
AMERICAN GROWN HARDWOOD

TABLE OF CONTENTS

NEXT GENERATION IRON	4-11
ESTATE IRON	12-17
CUSTOM IRON	18-23
FRENCH RETURN	24-27
CONTEMPORARY METAL	28-31
SEDONA	32-35
PLANTATION WOOD	36-39
STRUCTURE	40-43
LOFT MOTORIZATION	44-47
PRESENTATION SAMPLES	48-52
MEASURING GUIDE	53
ORDERING GUIDES	54-55



NEXT GENERATION IRON


New Designs & Finishes in Ring, Traverse and Motorized Configurations



RINGS



TRAVERSE



MOTORIZED

MOTORIZED



- 1-1/2 inch Diameter
- Single & Double Rod Sets
- Center & One-Way Draw
- Automatic Limit Position
- Soft Opening & Closing
- Whisper Quiet
- Rod Sets up to 188"
- Optional Wi-Fi Module for Control with Alexa, Siri, Google Assistant & Smart Phone



MOTORS

110v Motor with 12' cord or 12v Lithium battery powered Motor



Wi-Fi

Optional Wi-Fi Module easily connects to bottom of motor



"Alexa, open the curtains."

REMOTES



15-Channel Remote & 15-Channel Wireless Wall Switch available

TRAVERSE



Two-Segment Rod Sets have a center splice with low profile screws

- 1-1/2" Diameter
- Single & Double Rod Sets
- Center & One-Way Draw
- Standard & Ripplefold
- Micro Ball Bearing Carriers
- Corner & Bay Rod Sets
- Rods Up To 188"



DOUBLE ROD SET



ADJUSTABLE ELBOW

RINGS



- Single & Double Rod Sets
- Corner & Bay Rod Sets
- Magnetic Brackets
- Long Lengths Available



ADJUSTABLE ELBOW

RINGS



2 inch

2 inch C-Ring

BAYS & CORNERS


We can calculate your lengths for all your bay & corner windows

PLEASE SEE THE MEASURING GUIDE



DOUBLE ROD SET

NEXT GENERATION IRON



KNOB



BALL



END CAP



CYLINDER



BOW TIE



SIMPLE END



BLOCK



CLEAR SQUARE



CONTEMPO



RIBBON





CLEAR CYLINDER

BRACKETS

STANDARD

TRAVERSE & MOTORIZED



TIE BACKS



NEXT GENERATION IRON TRAVERSE & RINGS

1.5" DIAMETER ROD SETS

SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

- **Single Rod Set**
- **Double Rod Set**
- **Corner Window Rod Set**
- **Bay Window Rod Set**

ROD SET INCLUDES: Rod, finials, brackets and mounting hardware.

Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping surcharge and additional production surcharge.

- Single, Double, Corner and Bay sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the 1" back rod.
- No finials on inside mount rod sets.
- Rod widths greater than 72", include center support brackets.
- Ripple-Fold only available on Traverse rods not available on Motorized rod sets.

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION	DIMENSIONS
Knob	3/4" W x 2-1/2" H
Ribbon	1-3/4" W x 2-1/4" H
Bow Tie	2-3/4" W x 3" H
Block	7/8" W x 2" H
Cylinder	2-3/4" W x 2" H
Ball	2-1/2" W x 2-3/8" H
End Cap	1/2" W x 2-3/4" H
Clear Square	1-1/4" W x 2-3/4" H
Contempo	1-3/8" W x 2" H
Simple End Cap	3/4" W x 2" H
Clear Cylinder	2-1/8" W x 2" H

BRACKETS (TRAVERSE)

DESCRIPTION	DIMENSIONS
Standard	1" W x 5-1/2" H x 4-1/4" D (3-1/2" projection)
Extension	1" W x 5-1/2" H x 5-3/4" D (5" projection)
Double	1" W x 6-1/2" H x 7-3/8" D (3" & 6-1/2" projection)
Standard Center	4" W x 1" H x 4-1/4" D (3-1/2" projection)
Extension Center	4" W x 1" H x 5-3/4" D (5" projection)
Double Center	1" W x 2" H x 7-3/8" D (3" & 6-1/2" projection)
Ceiling	2" W x 1-1/2" - 12" H (Custom made)

STANDARD CARRIERS

DESCRIPTION
8 Wheel Master (Overlap)
8 Wheel Master (Under)
3/4" Ball Bearing Carriers (White or Bronze)

RIPPLE-FOLD CARRIERS

DESCRIPTION
8 Wheel Ripple Snap Master (Overlap)
8 Wheel Ripple Snap Master (Under)
8 Wheel Ripple Butt Master (Left)
8 Wheel Ripple Butt Master (Right)
Ripple Snap Carrier 60% Fullness (2-5/8")
Ripple Snap Carrier 80% Fullness (2-3/8")
Ripple Snap Carrier 100% Fullness (2-1/8")
Ripple Snap Carrier 120% Fullness (1-7/8")

BRACKETS (RINGS)

DESCRIPTION	DIMENSIONS
Forged Single	1" W x 5" H x 4-5/8" D (3-1/2" projection)
Forged Double(1)	1" W x 5" H x 6-1/8" D (2-1/2" & 5" projection)
Forged Extended	1" W x 5" H x 6-1/8" D (5" projection)
C-Ring Center Bypass	4" W x 1-1/8" H x 4-5/8" D (3-1/2" projection)
C-Ring Double Center (1)	4" W x 1-1/8" H x 6-1/8" D (2-1/2" & 5" projection)
C-Ring Extended Center	4" W x 1-1/8" H x 6-1/8" D (5" projection)
Inside Mount	2" W x 4-1/2" H x 1" D (1/8" projection)
Ceiling	1" W x 4-1/2" H x 4" D (3-1/2" projection)

(1) Front cup holds a 1-1/2" rod and back cup holds a 1" rod

Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

TIEBACKS

DESCRIPTION	DIMENSIONS
Orbed (U style)	6" face x 1-1/2" width x 5-1/4" projection
Ball (Post style)	2-1/4" width x 6-3/4" projection
End Cap (Post style)	2" width x 4-1/4" projection
End Cap (U style)	6" face x 1-3/4" width x 5-1/2" projection

RINGS

DESCRIPTION	INSIDE DIAMETER
Rings - eyelet (10 pack)	2"
Rings - eyelet (10 pack) C-Ring	2"
Rings - eyelet (10 pack)	1-1/2"
Rings - eyelet (10 pack) C-Ring	1-1/2"
*Fits back rod on double rod set only	

NEXT GENERATION IRON MOTORIZED

1.5" DIAMETER ROD SETS

- **Single Rod Set**
- **Double Rod Set**
- Sets include: Rod, motor, finials and mounting hardware.
- Single and Double rod sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature Simple End Cap finials on the 1-1/2" back rod.
- Rod widths greater than 48", include center support brackets.

SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

FINIALS

DESCRIPTION	DIMENSIONS
Knob	3/4" W x 2-1/2" H
Ribbon	1-3/4" W x 2-1/4" H
Bow Tie	2-3/4" W x 3" H
Block	7/8" W x 2" H
Cylinder	2-3/4" W x 2" H
Ball	2-1/2" W x 2-3/8" H
End Cap	1/2" W x 2-3/4" H
Clear Square	1-1/4" W x 2-3/4" H
Contempo	1-3/8" W x 2" H
Simple End Cap	3/4" W x 2" H
Clear Cylinder	2-1/8" W x 2" H

SPECIFICATIONS & DIMENSIONS

REMOTES

DESCRIPTION

Dual-Channel Handheld Remote (control up to 2 motors)
 15-Channel Remote (control up to 30 motors)
 Dual-Channel Wireless Wall Switch (control up to 2 motors)
 15-Channel Wireless Wall Switch (control up to 15 motors)


MOTORS

DESCRIPTION

	Max Curtain Wt. (lb.)	Rated Torque (lb-in.)	Open/Close Speed (in./sec)	Rated Current (A)	Weight (lb.)	Cord Length (ft.)	Average Battery Charge (mos.)
110v AC Plug-in Motor	100	10.6	5.5	0.16	3.9	12	N/A
12v Rechargeable Lithium Battery Motor	66	10.6	5.5	0.16	3.9	N/A	6

- All remotes and switches come paired to the motor.
- Control multiple motors with one remote.
- 3v Battery included with remotes and switches

Wi-Fi MODULE



- Wi-Fi Module easily connects to the bottom of the plug-in motor.
- Use your smart phone to control motor with APP available in the APP Store and Google Play.
- Wi-Fi Module connects with Amazon Alexa, Google Assistant and Siri.

MASTER CARRIERS

DESCRIPTION

Standard Motorized Master (Center Draw)
 Extension Arm Master (One-way Draw)

BRACKETS

DESCRIPTION


DIMENSIONS

Standard	1" W x 5-1/2" H x 4-1/4" D (3-1/2" projection)
Extension	1" W x 5-1/2" H x 5-3/4" D (5" projection)
Double	1" W x 6-1/2" H x 7-3/8" D (3" & 6-1/2" projection)
Standard Center	4" W x 1" H x 4-1/4" D (3-1/2" projection)
Extension Center	4" W x 1" H x 5-3/4" D (5" projection)
Double Center	1" W x 2" H x 7-3/8" D (3" & 6-1/2" projection)
Ceiling	2" W x 1-1/2"- 12" H x 2" D (Custom made)

- Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.



ESTATE IRON




CAMELOT



FLAME



DOUBLE
ACANTHUS




IRON BALL




CROWN BALL




TERRAZZO



PAPYRUS



PAJARO




DOUBLE
SCROLL LEAF



END CAP



SCROLL



SQUARE CAP

BRACKETS



SINGLE



DOUBLE



EXTENSION



C-RING
CENTER



C-RING
DOUBLE
CENTER



C-RING
EXTENDED
CENTER



INSIDE
MOUNT



CEILING
MOUNT



ELBOW

TIE BACKS



FLAME



ACANTHUS
LEAF



SCROLL



ORBED



IRON
SCROLL



END CAP-
POST STYLE



END CAP-
U-STYLE

BRONZE
31

RUSTICA
14

PEWTER
12

BLACK
03

GOLD
37

- 1-1/2" DIAMETER
- SINGLE AND DOUBLE ROD SETS
- FORGED IRON HARDWARE
- CUT TO SIZE
- BAY & CORNER WINDOWS
- INSIDE MOUNT



DOUBLE ROD SET

ACCESSORIES

RINGS



2-INCH OR 2.5 INCH



C-RINGS



2-INCH ONLY

BAYS & CORNERS

We can calculate your rod lengths for all your bay and corner windows!

PLEASE SEE THE MEASURING GUIDE



ELBOW CONNECTOR



OUTDOOR READY FINISH OPTION

Decorate your deck, cabana or outdoor space! Outdoor finish option is available for a 25% up-charge, which includes a full 5-year replacement warranty. Sets must be installed under an eave or overhang, avoiding direct exposure to the elements. Regular wipe down is required. Not recommended for high humidity or beach environments. AVAILABLE ONLY IN OIL RUBBED BRONZE, RUSTICA AND BLACK.

ESTATE IRON

1.5" DIAMETER ROD SETS

SEE PRICE LIST FOR PRICES AND
ORDERING INFORMATION

- **Single Rod Set**
- **Double Rod Set**
- **Corner Window Rod Set**
- **Bay Window Rod Set**
- **Inside Mount Rod Set**

SET INCLUDES:

Rod, finials, brackets and mounting hardware.

- Single, Double, Corner and Bay sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the 1" back rod.
- No finials on inside mount rod sets.
- Rod widths greater than 72", include center support brackets.

Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod Sets over 188" and up to 282" will come in 3 pieces. Rod segments made in one piece over 94" carry a substantial shipping surcharge and additional production surcharge.

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION	DIMENSIONS	LENGTH ADDED TO THE END OF THE ROD
Grande Pajaro	5-1/2" W x 4-1/4" H	5-1/4"
Grande Double Scroll Leaf	6" W x 8" H	5-1/2"
Grande Square Cap	2-3/4" W x 3" H	2-1/2"
Crown Ball	4" W x 3-1/4" H	3-3/4"
Grande Scroll	7-1/4" W x 3-1/2" H	7"
Grande Flame	8-1/2" W x 4" H	8"
Grande Double Acanthus	7-1/2" W x 4" H	7-1/4"
Grande Iron Ball	3-1/2" W x 3" H	3-1/4"
Grande Camelot	5-1/2" W x 3-1/2" H	5-1/4"
Grande Terrazzo	6-3/4" W x 2-3/4" H	6-1/2"
Grande Papyrus	5-1/4" W x 3-1/4" H	5"
Grande End Cap	7/8" W x 2-1/2" H	1/8"

RINGS

DESCRIPTION	INSIDE DIAMETER
Rings - eyelet (10 pack)	2"
C-Rings - eyelet (10 pack)	2"
Rings - eyelet (10 pack)	2-1/2"

1103 rings on front rod and 1102 rings on back rod for double rod sets.

BRACKETS

DESCRIPTION	DIMENSIONS
Forged Single	1" W x 5" H x 4-5/8" D (3-1/2" projection)
Forged Double(1)	1" W x 5" H x 6-1/8" D (2-1/2" & 5" projection)
Forged Extended	1" W x 5" H x 6-1/8" D (5" projection)
C-Ring Center Bypass	4" W x 1-1/8" H x 4-5/8" D (3-1/2" projection)
C-Ring Double Center (1)	4" W x 1-1/8" H x 6-1/8" D (2-1/2" & 5" projection)
C-Ring Extended Center	4" W x 1-1/8" H x 6-1/8" D (5" projection)
Inside Mount	2" W x 4-1/2" H x 1" D (1/8" projection)
Ceiling Mount	1" W x 4-1/2" H x 4" D (3-1/2" projection)

(1) Front cup holds a 1-1/2" rod and back cup holds a 1" rod

* Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.


TIEBACKS

DESCRIPTION	DIMENSIONS
Flame (U style)	9" face x 2-1/4" width x 6-1/2" projection
Acanthus Leaf (U style)	7" face x 4" width x 5-1/4" projection
Scroll (U style) - left	7" face x 4" width x 4-3/4" projection
Scroll (U style) - right	7" face x 4" width x 4-3/4" projection
Orbed (U style)	6" face x 1-1/2" width x 5-1/4" projection
Iron Scroll (Post style)	7-1/2" face x 3-1/4" x 4-3/4" projection
End Cap (Post style)	2" width x 4-1/4" projection
End Cap (U style)	6" face x 1-3/4" width x 5-1/2" projection





CUSTOM IRON



CAPRI



TORCHE




END CAP




TERRAZZO



ACANTHUS
LEAF




FLEUR



IRON BALL




ACORN




ROUNDED
SQUARE
CAP

BRACKETS

STANDARD



TRAVERSE



TIE BACKS



BRONZE
31

RUSTICA
14

PEWTER
12

BLACK
03

GOLD
37

- 1" DIAMETER
- SINGLE AND DOUBLE ROD SETS
- FORGED IRON HARDWARE
- STANDARD AND TRAVERSE
- CUT TO SIZE
- BAY & CORNER WINDOWS
- INSIDE MOUNT



DOUBLE TRAVERSE



ONE-WAY DRAW

ACCESSORIES

RINGS



1.5-INCH



C-RINGS



1.5-INCH

BAYS & CORNERS

We can calculate your rod lengths for all your bay and corner windows!

PLEASE SEE THE MEASURING GUIDE



ADJUSTABLE ELBOWS



OUTDOOR READY FINISH OPTION

Decorate your deck, cabana or outdoor space! Outdoor finish option is available for a 25% up-charge, which includes a full 5-year replacement warranty. Sets must be installed under an eave or overhang, avoiding direct exposure to the elements. Regular wipe down is required. Not recommended for high humidity or beach environments. AVAILABLE ONLY IN OIL RUBBED BRONZE, RUSTICA AND BLACK.

CUSTOM IRON

1" DIAMETER ROD SETS

SEE PRICELIST FOR PRICES AND
ORDERING INFORMATION

Single Rod Set (1")

Double Rod Set (1" front rod and 1" back rod)

Single Traverse Rod Set (1-1/8")

Double Traverse Rod Set (1-1/8" front rod and 1-1/8" back rod)

Corner Window Rod Set (1") (1-1/8" Traverse)

Bay Window Rod Set (1") (1-1/8" Traverse)

Inside Mount Rod Set (1")

SET INCLUDES:

Rod, finials, brackets and mounting hardware.

- Single, Double, Corner and Bay Sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the back rod.
- No finials on inside mount rod sets.
- Rod sets with overall widths greater than 72" include center bracket(s).
- Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces.
- Rod segments made in one piece over 94" carry a substantial shipping surcharge and production surcharge.

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION	DIMENSIONS	LENGTH ADDED TO ROD
Rounded Square Cap	2-1/4" W x 2-1/2" H	2"
Terrazzo	6" W x 2-3/4" H	5-3/4"
Torche	5-1/2" W x 2-3/4" H	5-1/4"
Capri	3-3/8" W x 2-1/2" H	3-1/4"
End Cap	1/2" W x 1-7/8" H	1/8"
Small Acanthus	4-1/2" W x 3" H	4-1/4"
Fleur	4-1/2" W x 3-1/8" H	4-1/4"
Acorn	3-3/8" W x 2" H	3-1/4"
Iron Ball	2-3/4" W x 2-1/2" H	2-5/8"

TIEBACKS

DESCRIPTION	DIMENSIONS
Flame (U style)	9" face x 2-1/4" w x 6-1/2" projection
Acanthus Leaf (U style)	7" face x 4" w x 5-1/4" projection
Scroll (U style) - left	7" face x 4" width x 4-3/4" projection
Scroll (U style) - right	7" face x 4" width x 4-3/4" projection
Orbed (U style)	6" face x 1-1/2" width x 6" projection
Iron Scroll (Post style)	7-1/2" face x 3-1/4" w x 4-3/4" projection
End Cap (Post style)	2" width x 4-3/8" projection
End Cap (U style)	6" face x 1-7/8" width x 5-3/4" projection

BRACKETS

DESCRIPTION	DIMENSIONS
Ceiling Mount Bracket	1" W x 3-1/8" H x 3" D (2-1/2" projection)
Forged Single Bracket	1" W x 4" H x 3-1/4" D (2-1/2" projection)
Forged Double Bracket	1" W x 4" H x 6" D (2-1/2" & 5" projection)
Forged Extension Bracket	1" W x 4" H x 6" D (5" projection)
C-Ring Center Bracket	4" W x 1" H x 3-1/8" D (2-1/2" projection)
C-Ring Double Center Bracket	4" W x 1" H x 5-3/4" D (2-1/2" & 5" projection)
C-Ring Extended Center Bracket	4" W x 1" H x 5-3/4" D (5" projection)
Inside Mount Bracket	1-1/4" W 2-1/4" H x 7/8" D (1/8" projection)
Single Traverse	1" W x 3" H x 3" D (2-1/2" projection)
Double Traverse	1" W x 4" H x 5-5/8" D (2-1/2" & 5" projection)
Extension Traverse	1" W x 4" H x 5-5/8" D (5" projection)
Center Traverse	4" W x 1" H x 3-1/8" D (2-1/2" projection)
Double Center Traverse	4" W x 1" H x 5-5/8" D (2-1/2" & 5" projection)
Extension Center Traverse	4" W x 1" H x 5-5/8" D (5" projection)

DESCRIPTION

Rings - eyelet (10 pack)
C-Rings - eyelet (10 pack)

INSIDE DIAMETER

1 1/2"
1 1/2"

* Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.





FRENCH RETURN




- 3/4" AND 1" DIAMETER
- SINGLE AND DOUBLE RODS
- CUT TO SIZE
- ROD SETS OVER 72" INCLUDE CENTER BRACKET(S)

BRACKETS

END BRACKETS



CENTER BRACKETS



ACCESSORIES



1-1/2 & 1-1/4 INCH
INSIDE DIAMETERS




SPECIFICATIONS AND DIMENSIONS

DESCRIPTION

1" End Bracket
1" Center Bracket
1" Extension End Bracket
1" Extension Center Bracket
1" Double Center Bracket
3/4" End Bracket
3/4" Center Bracket
3/4" Extension End Bracket
3/4" Extension Center Bracket
3/4" Double Center Bracket

DIMENSIONS

2-1/2" W x 4-1/4" H x 4" D (3-1/2" projection)
4" W x 1" H x 4-1/4" D (3-1/2" projection)
2-1/2" W x 4-1/4" H x 5-1/2" D (5" projection)
4" W x 1" H x 5-5/8" D (5" projection)
4" W x 2" H x 5-3/4" D (2-1/2" & 5" projection)
3-1/4" W x 2" H x 3-7/8" D (3-1/2" projection)
4" W x 1" H x 4-1/8" D (3-1/2" projection)
2-1/2" W x 2" H x 5-3/8" D (5" projection)
4" W x 1" H x 5-1/2" D (5" projection)
4" W x 2" H x 5-1/2" D (2-1/2" & 5" projection)



BLACK

GOLD

SMOKE

BRONZE

RUSTICA

IVORY





CONTEMPORARY METAL



BALL CAP



END CAP



BAROQUE




ORCHID




SAUSALITO



TRADITIONS



RIBBED SQUARE CAP



ROUND FLAME

BURNISHED
COPPER

15

NICKEL

16

BLACK

03

BRONZE

31

COMPLETE SETS
AVAILABLE IN:

- 22" - 40"
- 40" - 76"
- 76" - 148"

- 1" ADJUSTABLE ROD SETS
- SINGLE AND DOUBLE ROD SETS
- CORNER AND BAY SETS
- INSIDE MOUNT

ACCESSORIES



CLIP RINGS




EYELET RINGS



POST TIEBACK

BRACKETS



SINGLE

DOUBLE

EXTENSION



INSIDE MOUNT



CEILING MOUNT

BAYS & CORNERS



ELBOW

SEE PRICELIST FOR PRICES AND
ORDERING INFORMATION

CONTEMPORARY METAL

1" DIAMETER ROD SETS

SET INCLUDES: Rod, finials, brackets and mounting hardware.

- **Single Rod Set (1") ***
- **Double Rod Set (1" front rod and 1" back rod)**
- **Corner Window Rod Set**
- **Bay Window Rod Set (1")**
- **Inside Mount Rod Set (1")**

* with your choice of Standard or Extension Brackets

Double rod sets feature end cap finials on the 1" back rod.
No finials on inside mount rod sets.

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION	DIMENSIONS	LENGTH ADDED TO ROD
Ribbed Square Cap	2-7/8" W x 2-1/2" H	2-3/4"
Sausalito	2-1/2" W x 2-7/8" H	2-3/8"
Ballcap	2-3/4" W x 2-3/8" H	2-5/8"
Baroque	3" W x 2-1/8" H	2-7/8"
Orchid	3-5/8" W x 2-1/2" H	3-1/2"
End Cap	3/4" W x 1-3/8" H	5/8"
Traditions	3-3/4" W x 2-1/2" H	3-5/8"
Round Flame	2-3/4" W x 3" H	2-5/8"

RINGS

DESCRIPTION	INSIDE DIAMETER
Clip Rings (10 pack)	1-1/2"
Rings - eyelet (10 pack)	1-1/2"

BRACKETS

DESCRIPTION	DIMENSIONS
Single Bracket	1" W x 2-1/2" H x 3-1/4" D (2-1/2" projection)
Double Bracket (1)	1" W x 2-1/2" H x 5-3/4" D (2-1/2" & 5" projection)
Extension Bracket	1" W x 2-1/2" H x 5-5/8" D (5" projection)
Inside Mount Bracket	1-3/8" W 2-5/8" H x 1-1/2" D
Ceiling Mount Bracket	1" W x 3" H x 3" D (2-1/2" projection)
Elbow	Extends 3/4" from end of rod to center of swivel

(1) Front cup holds a 1" rod and back cup holds a 1" rod

* Projection is measured from the center of the bracket cup to the back plate of the bracket.
D is the distance; it is measured from the front of the bracket to the back plate of the bracket.
W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

TIEBACK

DESCRIPTION	Post Tieback w/Finial Choice
DIMENSIONS	2" Diameter Base 4-1/4" depth plus finial dimension



SEDONA

RING OR TRAVERSE OPTIONS



HALO



CYLINDER



HUB CAP



END CAP



BUTTON



BOW TIE



SPHERE



NAKED

- 2 INCH DIAMETER
- SINGLE AND DOUBLE ROD SETS
- STANDARD AND TRAVERSE OPTIONS
- RIPLEFOLD CARRIERS AVAILABLE
- AMERICAN GROWN HARDWOOD
- CUT TO SIZE
- ROD SETS UP 182"



HIDDEN BRACKETS



DOUBLE ROD SET



WOOD AND METAL RINGS



POLISHED METAL
17



BLACK
03



RUSTICA
14



NICKEL
16



BRONZE
31



MAHOGANY
28



BLACK
41



DARK ROAST
29



PALLET WOOD
26



STORM
36



LEATHER
23



WHITE
20

SEE PRICE LIST FOR PRICES AND
ORDERING INFORMATION

SEDONA

2" DIAMETER ROD SETS

SETS INCLUDE

Rod, finials, brackets and all hardware.

AVAILABLE CONFIGURATIONS

- Single Rod Set
- Double Rod Set
- Single Traverse Rod Set
- Double Traverse Rod Set

Rods are cut to the precise width ordered and end drilled for finials. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. Specify "TR" for right draw and "TL" for left draw when ordering one way draw rod sets.

SPECIFICATIONS & DIMENSIONS

PART NAME	WIDTH	HEIGHT	DEPTH	LENGTH ADDED TO THE END OF THE ROD
-----------	-------	--------	-------	------------------------------------

FINIALS

Sphere	3-1/2"	3"	3"	3"
Halo	2"	3-1/2"	3-1/2"	1-5/8"
Hub Cap	1-1/4"	3"	3"	1"
Cylinder	2-1/2"	2"	2"	2-1/2"
End Cap	3/4"	2-3/4"	2-3/4"	1/4"
Button	3/4"	2-3/8"	2-3/8"	3/8"
Bow Tie	1-1/4"	2-7/8"	2-7/8"	1"
Naked	3/4"	2"	2"	3/4"

CEILING BRACKET

Custom
made to any
length 1-1/2"
to 12"




PART NAME	WIDTH	HEIGHT	DEPTH	PROJECTION*
-----------	-------	--------	-------	-------------

BRACKETS

Single	2-7/8"	2"	3-1/4"	4-1/4"
Double	2-7/8"	2"	5-1/8"	2-1/2 AND 6-1/8"
Ceiling	2"	Custom	2"	
Extension	2-7/8"	2"	5-1/8"	6-1/8"

BRACKETS



*Projection is measured from the wall to the center of the rod.

PART NAME	WIDTH	HEIGHT	DEPTH	PART NAME	INSIDE DIAMETER
-----------	-------	--------	-------	-----------	-----------------

TIEBACKS

Post & Button	2-3/8"	2-3/8"	4-1/4"
Wood Rosette	4"	4"	3-1/2"

WOOD RINGS

2-5/8"

METAL RINGS

2-1/2"



WOOD ROSETTE



POST & BUTTON





PLANTATION WOOD



WOOD BALL



TURNED KNOB



ASTORIA




DUCHESS 2" only



SULTAN 2" only



END CAP



DUKE 1-3/8" only

- 1-3/8" AND 2" ROD SETS
- STANDARD AND TRAVERSE
- TRAVERSE AVAILABLE IN 2" ONLY
- AMERICAN GROWN HARDWOOD
- CUT TO SIZE



SPLIT-DRAW TRAVERSE

BRACKETS



SINGLE



DOUBLE



INSIDE MOUNT

ACCESSORIES



3-1/2 INCH



2-3/4 INCH



ROSETTE TIEBACK

MAHOGANY

28

BLACK

41

WALNUT

27

DARK ROAST

29

STORM

36

LEATHER

23

WHITE

20

SEE PRICELIST FOR PRICES AND
ORDERING INFORMATION

PLANTATION WOOD

1-3/8" and 2" DIAMETER ROD SETS

SETS INCLUDES: Rod, finials, brackets and mounting hardware.

1 3/8" DIAMETER

Single Rod Set (1-3/8")
Double Rod Set (1-3/8" front rod and 1-3/8" back rod)
Inside Mount Rod Set (1-3/8")

2" DIAMETER

Single Rod Set (2")
Single Traverse Rod Set (2")
Double Rod Set (2" front rod and 1-3/8" back rod)
Inside Mount Rod Set (2")

FINIALS

DESCRIPTION	DIMENSIONS	LENGTH ADDED TO ROD
Wood Ball 3-1/4" W x 2-1/2" H	1-3/8"	3-1/8"
Turned Knob 3-1/4" W x 2-1/2" H	1-3/8"	3-1/8"
Astoria 3-1/8" W x 2-3/8" H	1-3/8"	3"
End Cap 1-1/8" W x 2" H	1-3/8"	1"
Duke 3-5/8" W x 3 H	1-3/8"	3-1/2"
Wood Ball 4-3/4" W x 3-1/2" H	2"	4-5/8"
Turned Knob 4-3/8" W x 3-1/2" H	2"	4-1/4"
Astoria 4-1/2" W x 3-3/8" H	2"	4-3/8"
End Cap 1-5/8" W x 3" H	2"	1-1/2"
Duchess 6" W x 3-1/2" H	2"	5-7/8"
Sultan 4-1/4" W x 4-1/2" H	2"	4-1/8"

Rods are cut to the precise width ordered and end drilled for finials. Double rod sets feature end cap finials on the 1-3/8" back rod. No finials on inside mount rod sets. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" and traversing up to 168" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge.

SPECIFICATIONS & DIMENSIONS

BRACKETS

DESCRIPTION	ROD SIZE	DIMENSIONS
Single Bracket	1-3/8"	1" W x 3-1/4" H x 5-1/4" D (3-7/8" projection)
Double Bracket (1)	1-3/8"	1" W x 3-1/4" H x 8-3/4" D (3-7/8" & 7-3/8" projection)
Inside Mount Bracket (*)	1-3/8"	1" W x 2-7/8" x 2-7/8" D
Single Bracket	2"	1-3/8" W x 4-1/4" H x 6-7/8" D (5" projection)
Double Bracket (2)	2"	1-3/8" W x 4-1/4" H x 9-1/2" D (4-1/4" & 7-3/4" proj.)
Inside Mount Bracket (*)	2"	1" W x 3-3/8" H x 3-3/8" D

(1) Front cup holds a 1-3/8" rod and back cup holds a 1-3/8" rod.

(2) Front cup holds a 2" rod and back cup holds a 1-3/8" rod.

Projection is measured from the center of the bracket cup to the back plate of the bracket.

D is the distance; it is measured from the front of the bracket to the back plate of the bracket.

W is the horizontal length of the bracket.

H is the vertical length of the bracket back plate.

*Subtract 1" total from inside dimension for rod length.

RINGS

DESCRIPTION	ROD SIZE	INSIDE RING DIAMETER
930 Wood Rings - eyelet (10 pack)	1-3/8"	1-3/4"
930-2 Wood Rings - eyelet (10 pack)	2"	2-1/2"

TIEBACKS

DESCRIPTION	Rosette
DIMENSIONS	4" face x 1" width x 4-3/8" deep



STRUCTURE

TRAVERSE OR MOTORIZED OPTIONS



BUTTON



SPHERE



CONTEMPO



KNOB



BOW TIE



END CAP



WAFFLE



NAKED

- 2 inch Square
- Traverse and Motorized
- Single and Double Rod Sets
- Center and One-Way Draw
- Standard and Ripplefold Carriers
- Hand Finished American Grown Hardwood
- Cut to Size Rods up to 182"

MOTORIZED



SINGLE MOTORIZED
(shown without motor)



DOUBLE MOTORIZED

TRAVERSE



DOUBLE TRAVERSE



SINGLE TRAVERSE



HIDDEN BRACKETS

SEE PRICE LIST FOR PRICES AND
ORDERING INFORMATION

STRUCTURE

2" SQUARE ROD SETS

SETS INCLUDE

Rod, finials, brackets
and all hardware.

AVAILABLE CONFIGURATIONS

- Single Motorized Rod Set
- Double Motorized Rod Set
- Single Traverse Rod Set
- Double Traverse Rod Set

TRAVERSE ROD SETS

Rods are cut to the precise width ordered and end drilled for finials. Rod width greater than 60", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. Specify "TR" for right draw and "TL" for left draw when ordering one way draw rod sets.

MOTORIZED ROD SETS

Fascia wood cover is cut to the precise width ordered and ends drilled for finials. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. See "LOFT" Ordering Guide for more details.

SPECIFICATIONS & DIMENSIONS

PART NAME WIDTH HEIGHT DEPTH LENGTH ADDED TO THE OF THE ROD

FINIALS

Sphere	3-1/4"	3"	3"	3-1/4"
Naked	3/4"	2"	2"	3/4"
Waffle	3/8"	2-1/4"	2-1/4"	3/8"
Contempo	1-1/4"	2"	2"	1-1/4"
End Cap	3/4"	2"	2"	3/4"
Button	3/8"	2"	2"	3/8"
Bow Tie	7/8"	2-7/8"	2-7/8"	7/8"
Knob	5/8"	2-1/2"	2-1/2"	5/8"

PART NAME WIDTH HEIGHT DEPTH PROJECTION *(measured from wall to center of the rod)*

BRACKETS

Single	2-7/8"	2"	3-1/4"	4-1/4"
Double	2-7/8"	2"	5-1/8"	2-1/2" AND 6-1/8"
Ceiling	2"	Custom	2"	
Extension	2-7/8"	2"	5-1/8"	6-1/8"



RUSTICA
14



BRONZE
31



POLISHED METAL
17



BLACK
03



SINGLE



EXTENSION



DOUBLE



CEILING

Custom made
1-1/2" up to 12"



MAHOGANY
28



BLACK
41



DARK
ROAST
29



PALLET
WOOD
26



STORM
36



LEATHER
23



WHITE
20






DRAPERY
MOTORIZATION
SIMPLIFIED.



Let's make it simple.

Professional quality motorization made simple. Tell us the size and type, we'll custom make it and deliver complete, ready to install with everything you need to get the job done.



Powerful, yet quiet plug-in motor handles curtains up to 100 lbs. Motors are low voltage for added safety and can be mounted on the left or right.

Plug in or cordless motors available. Our Cordless Lithium-ion battery powered motor goes 6 months to a year on a single charge and is easily rechargeable with included charger.

Decorative LOFT track cover
See STRUCTURE page



RF Remote Control

Control a single or double rod set using our smart phone quality dual channel remote. Multi channel and wall mount controllers available. Wall controller detaches from magnetic base plate for portable use.



Whisper Quiet

Dampening technology reduces noise level below 30dB



Soft Opening & Closing

Smooth and elegant operation



Touch Start

Gently pulling the curtain will trigger the motor to open automatically



Automatic Limit Positions

Positions set automatically on the first use and re-calibrate everyday



Obstruction Protection

Motor will stop automatically if the curtain is pulled or it's path obstructed



Manual Operation

Curtains easily open and close manually in the event of power loss



Durability

Professional grade equipment built for years of worry free use. All components "best in class" quality and warranted for 5 years.






PRESENTATION SAMPLES



SAMPLE BAG

Our drapery hardware sample bag is an easy way to show your customer the style and unsurpassed quality of the product. The durable nylon sample bag is convenient for meetings and customer presentations.



FINISH SAMPLES

BAG INCLUDES:

- Durable Sample Tote
- STRUCTURE wood+metal Sample
- Custom Iron Bracket Sample
- Custom Iron (1") Sample
- Estate Iron (1 1/2") Sample
- 2 SEDONA wood+metal Samples
- Retail Price List
- Finish Sample Plates

33.5"

36"



CUSTOM WROUGHT IRON



STYLE MIX

SAMPLE BOARDS

Wall mount sample boards feature complete rod sets including finials and brackets as well as rings representing each available finish. Boards can be ordered for each collection or a style mix board showing an example from each collection. Boards are furniture quality with hand finished hardwood trim.



SEDONA



PLANTATION WOOD



SEDONA & STRUCTURE



NEXT GENERATION IRON




FRENCH RETURN



MIX-IT

MEASURING GUIDE

MEASURING TIPS:



DETERMINE YOUR HARDWARE WIDTH:

Rod width does not include the width of the finials on each end. Finials add 2" to 8" in width on each end, depending on the finial style. We recommend a 5" overlap on each side of the window.

For example if your window is 50" wide, you would normally order a 60" length rod and the overall finished width would be 64" to 76" depending upon the finial style.

INSIDE MOUNT MEASURING:

Have customer measure just the opening. Factory will need to know if you want deductions made for the inside mount brackets.

- Always use a steel tape measure. All dimensions should be taken to the nearest 1/4 inch.
- Double check to make sure that you haven't transposed width and height measurements.
- Measure every window. Windows that look identical often are not.
- If you have any questions, please contact Customer Service for more information.

BAY WINDOWS MEASURING:

Please answer the questions below.

To order a bay window rod set correctly, you need to provide the separate measurement of each section of the bay area wall (shown here as A, B and C) and the degree of each wall angle (shown here as Angle #1 and Angle #2).

If you would like us to determine the angles, you will need to additionally provide the opening width of the bay.





We will calculate your rod size based on these measurements and rod style you select. Our standard calculations allow for the finials to be just short of the outside of the opening. If you wish them to project out past the opening please advise when ordering.

NEXT GENERATION IRON MOTORIZED

CARRIER COUNT GUIDE

NOTE: Exact carrier count is needed before we build your custom drapery rod. DO NOT count fixed carriers or pin holes on master carriers.





Ordering Guide

Follow the steps below to order each LOFT motorized track. We'll deliver assembled* and ready to mount. Easy to install, just mount the brackets, attach the track, snap in motor and hang the curtains.

Made a mistake? No worries, send it back and we'll fix it.

Sidemark: _____ Date: _____

Room: _____ Window: _____

Dealer: _____ PO# _____

Contact Phone: _____ Email: _____

Track Type *Tracks over 94" will be shipped in 2 pieces and require some assembly.

☐ Single motorized track ☐ Double, both tracks motorized

Track Length Example: Window opening is 50" wide and the curtains to be 12" past the window opening on both sides. Track should be 74" long.

☐ Over-all length _____

Choose Ripplefold Fullness:

☐ 60% ☐ 80% ☐ 100% ☐ 120%

Motor Position easy to switch in the field.

☐ Right or ☐ Left

Draw

☐ Two way/center opening

☐ One way/right draw ☐ One way/left draw

Mounting Brackets

☐ Wall (1.25" Clearance* / 2" Projection*) *Clearance = wall to back of track *Projection = wall to center of track

☐ Extended Wall (5.25" Clearance / 6" Projection)

☐ Ceiling

Carriers

☐ Standard ☐ Ripplefold

Master Carriers

☐ Standard overlap (4")

☐ Butt – Available on ripple fold and only on split draw

Motor Power Source

☐ Battery See price list for cost.
Last 6 months to a year on a single charge.
Includes recharging cord.

☐ 110v plug-in (12' cord)

Remote

Dual channel controls both single and double track sets. Remotes are paired with your motors at the factory and come ready to use.

☐ Dual channel handheld

☐ Dual channel wireless wall mount

☐ 15 channel handheld

☐ 15 channel wireless wall mount

15 channel remotes are programmable, work on up to 30 sets.

Notes

